

Notice of Allowability

Application No.

09/876,553

Examiner

Gims S Philippe

Applicant(s)

SUZUKI ET AL.

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to communication received on August 13 2004.
2. ☒ The allowed claim(s) is/are 1-28.
3. ☒ The drawings filed on 07 June 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Allowable Subject Matter

1. After a further search and a thorough examination of the present application and in light of the Applicant's arguments and in light of the prior art made of record, claims 1-28 are found to be in condition for allowance.

Reasons for Allowance

2. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

The claims are allowable over the prior art of record since the cited reference taken individually or in combination fails to particularly disclose an image sensing apparatus comprising a detection unit for detecting whether or not a stereoscopic compatible optical unit for stereoscopically sensing an optical image is mounted, a signal processing unit for performing signal processing on an image, sensed by an image sensing device, by employing a first signal processing method or a second signal processing method compatible to stereoscopic image sensing, which is different from the first signal processing method; and a control unit for switching from the first signal processing method to the second signal processing method for said signal processing unit when said detection unit detects that the stereoscopic compatible optical unit is mounted.

Art Unit: 2613

It is noted that the closest prior art of record (Lipton US Patent no. 4562463) teaches a similar apparatus, however, Lipton fails to particularly teach or suggest an *"image sensing apparatus comprising a detection unit for detecting whether or not a stereoscopic compatible optical unit for stereoscopically sensing an optical image is mounted, a signal processing unit for performing signal processing on an image, sensed by an image sensing device, by employing a first signal processing method or a second signal processing method compatible to stereoscopic image sensing, which is different from the first signal processing method; and a control unit for switching from the first signal processing method to the second signal processing method for said signal processing unit when said detection unit detects that the stereoscopic compatible optical unit is mounted"* as specified in the claims.

Conclusion


Any comments considered necessary by applicant must be submitted no later than the payment of issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submission should be clearly labeled "Comments on Statement of Reasons for Allowance".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gims S Philippe whose telephone number is (703) 305-1107. The examiner can normally be reached on M-F (9:30-7:00) Second Monday Off.

Art Unit: 2613

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris S Kelley can be reached on (703) 305-4780. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Gims S Philippe
Primary Examiner
Art Unit 2613

GSP

December 22, 2004